Build Your Own Trim Tab Self-Steering System (Part 2: Autopilot & Wind Vane Control)

By Eric Baicy
© Copyright 2005 All Rights Reserved

Table of Contents

GETTING STARTED AND GETTING HELP 5

PREFACE 5

TRIM TAB DYNAMICS 6

KEY TERMS 6
RELATIVE MOTION 6
TRIM TAB MOTION 7
WIND VANE MOTION 8
SYSTEM STABILITY 9
A Quick Test for Stability 11
Feedback and Sea State 11

AUTOPILOT STEERING 12

PROBLEMS WITH AUTOPILOTS 13
Flux Gate Compass 13
Adapting to the Sea State 14
Noise, Power and Interference 14
AVOIDING PROBLEMS WITH AUTOPILOT SENSITIVITY 14
Effects of Lift on Sensitivity 19
Mechanical Gain Adjustments 20
AVOIDING PROBLEMS WITH TURBULENCE 23
DIRECT CONNECTIONS 24
Autopilot Case Study 1: Offset Direct Connection 25
Stabilizing the Offset Design 26
Autopilot Case Study 2: Direct Connection 27
ROPE AND BLOCK CONNECTIONS 29
Autopilot Case Study 3: Rope and Block Example 29
TRIM TAB TILLER DESIGNS 30
Autopilot Case Study 4: Trim Tab Tiller Example 31
Gain Design Procedure 34
CABLE CONTROL DESIGN 35
Autopilot Case Study 5: Drive by Wire Example 36

WIND VANE STEERING 39

VERTICAL AXIS VANES 39
Standard Flat Vane 40
Backstay Flat Vane 41
Flat Vane with Fins 41
Foil Shaped Vanes 42
V-Shaped Vanes 43
Torque and Drag 44
Counterweight Tricks 46
Course Setting Clutches 47
WIND VANE DESIGNS 48
DESIGN GUIDELINES 49
Vane Gain 49

Vane Self-Volume ... *49*
Vane Case Study 1: Pulley ... *51*
Vane Case Study 2: Trim Tab Tiller Connection ... *52*
Vane Case Study Lessons ... *53*
Recommended V-Axis Vane Design ... *54*
Other Wind Vane Tips: ... *55*
HORIZONTAL AXIS VANES ... 56
Mechanics of a H-Axis Vane ... *56*
Auto-Helm ... *57*
Upside Down Vane (USD) ... *58*
Connecting to a Trim Tab ... *61*
CONCLUSION ... 62
SECTOR OF A CIRCLE ... 63

List of Figures

Figure 1: Trim Tab Relative Motion 7
Figure 2: Wind Vane Relative Motion 8
Figure 3: Dynamics of Stability 10
Figure 4: Tiller Pilot Distance from Pivot Point 15
Figure 5: Tiller Pilot Angle Dimensions 16
Figure 6: Computing Angle β 17
Figure 7: Lift verses Speed 20
Figure 8: Mechanical Gain=1 21
Figure 9: Mechanical Gain Reduction of 0.5 22
Figure 10: Mechanical Gain Increase of 2 23
Figure 11: Direct Trim Tab Connection 24
Figure 12: Ninety Degree Offset Connection (Failed) 25
Figure 13: Unstable Offset Design 26
Figure 14: A Stable Offset Design 27
Figure 15: Direct Connection 28
Figure 16: Rope and Block Setup 29
Figure 17: A Trim Tab Tiller Example 31
Figure 18: Trim Tab Tiller Design Used on *Sarana* 32
Figure 19: Trim Tab Tiller Design 33
Figure 20: Trim Tab Tiller Design Variables 34
Figure 21: Sail By Wire Design 36
Figure 22: Example of Steering by Wire 37
Figure 23: Push Rod Connection on Trim Tab 38
Figure 24: Large Flat Vane 40
Figure 25: Backstay Mounted Flat Vane 41
Figure 26: Flat Vane with Fins to Improve Response 42
Figure 27: Foil Shaped Vane 43
Figure 28: V-Shaped Vane 44
Figure 29: Calculating Shape Ratios 45
Figure 30: Torque vs. Shape 45
Figure 31: Drag vs. Shape 46
Figure 32: Wood and Plastic Clutch 48
Figure 33: Worm Gear Clutch 48
Figure 34: Equal Self-Volumes for a V-Axis Wind Vane 50
Figure 35: Self-Volume of an H-Axis Wind Vane 50
Figure 36: Rope and Pulley Linkage 52
Figure 37: Vane Case Study 2 53
Figure 38: Ideal V-Axis Vane Setup 54
Figure 39: Trim Tab Control Arm Construction 55
Figure 40: Basic H-Axis Vane System 57
Figure 41: Auto-Helm's Dual Axis Vane 58
Figure 42: Up-Side-Down (USD) Dual Axis Vane 59
Figure 43: USD Vane with Trim Tab 60
Figure 44: Standard Connection to the Trim Tab 61

Figure 45: Direct Cable Connection 61
Figure 46: Direct Cable Connection 2 62

List of Tables

Table 1: Feedback and Sea State 12
Table 2: Distances from Trim Tab Axis to Control Point and Their Gains..... 18
Table 3: Lift versus Speed 19
Table 4: Case Study 2 Ratings and Miles Tested 28
Table 5: Case Study 3 Ratings and Miles Tested 30
Table 6: Case Study 4 Ratings and Miles Tested 33
Table 7: Summary of Design Example..... 35
Table 8: Case Study 5 Ratings and Miles Tested 38